


Adult acquired buried penis reconstruction

9 steps, each one the authored title and caption from the interactive animation, with the frame captured from that step. Read it before the case, or print it and work through the steps in order.

Teaching only, not for diagnosis or treatment decisions. The text on this sheet is the animation's own step copy, reproduced verbatim.


UrOps3D · UroRef · © Nity G

01 Assess and optimise




- A large pannus hangs over a deep **suprapubic fat pad**; only a moist, narrowed opening shows and the glans is hidden.
- Seen through the fat, the **shaft is of normal length**.
- Lichen sclerosis has scarred its skin, worst ventrally.
- Weight, diabetes and the skin disease are addressed first.

02 Position and mark




- Supine, the pannus held up.
- A transverse **ellipse** is marked over the mons: its lower edge just above the penile base, its upper edge on the abdomen, wide enough to take the fat pad that buries the shaft.

Release the cicatrix




- The **cicatricial ring** at the mouth of the pit is divided at 12 o'clock and the mouth opens.
- The glans comes into view and a **stay stitch** through it holds the shaft up for the rest of the operation.

04 Escutcheonectomy




- The ellipse is incised and the wedge of **skin and fat** is taken off the rectus fascia en bloc.
- The **lymphatic-rich tissue** at the lateral margins is divided with care.
- With the fat pad gone, the penis stands clear of the abdomen.

Excise the diseased shaft skin



- The scarred shaft skin is excised from the corona to the base, **superficial to Buck's fascia**.
- The **dorsal neurovascular bundle** lies beneath the fascia and the **urethra** just under the ventral skin.

06 Fixation and closure




- The dermis at the penile base is **anchored to the rectus fascia** so the penopubic angle is held and the penis cannot be drawn back into the fat.
- The abdominal flap is advanced and the wound closed **transversely**.

07 Split skin graft




- A **split skin graft** taken from the thigh is laid on the bare shaft, wrapped round it with the **seam ventral**, sutured at the corona and the base and **quilted** to the shaft so it cannot lift or shear.

08 Dressing and catheter



- A **compressive dressing** holds the graft still against its bed; a **urethral catheter** keeps it dry.
- The graft, the abdominal wound, the donor site and the voiding are watched until the dressing comes down.

09 The later result



- The graft has taken and the penis stands clear of a **flat suprapubic area** with a transverse scar.
- He can stand to void and keep clean.
- Keeping the weight off is what keeps it unburied.

Derived from BuriedPenisScene.tsx at build time: every step title and caption above is the authored ProcedureDef text, reproduced verbatim, and this page shares its readable-points renderer with the animation itself. 9 of 9 steps have a captured frame.
Text fingerprint 738ef91fe73c51da. A caption edit without a re-capture fails the production check, so the sheet and the animation cannot drift apart silently.

Read before the case.
Debrief after it.

[About](#) [UrOops Cards](#) [Curriculum](#) [Operative notes](#) [Departments](#) [Progress](#)
[Governance](#) [Disclaimer](#) [Privacy](#) [Terms](#) [Support](#)

Teaching only, not for diagnosis or treatment decisions.

A UroRef project. Explore [UroRef](#), [ProstateView](#), [CalyxView](#) and [CystoSight](#).

