


Prostatic urethral lift (UroLift)

7 steps, each one the authored title and caption from the interactive animation, with the frame captured from that step. Read it before the case, or print it and work through the steps in order.

Teaching only, not for diagnosis or treatment decisions. The text on this sheet is the animation's own step copy, reproduced verbatim.

UrOops3D · UroRef · © Nity G

01 Who gets a lift




- The man who wants to keep ejaculation and avoid a catheter: 30 to 80 g, lateral lobes, no obstructing median lobe.
- Consent for dysuria and haematuria for a fortnight and the **third who need more within five years.**

Cystoscopy



- Gel and a block, or sedation.
- The rigid delivery device in under vision: sphincter, veru, the lobes kissing, the length to the neck, the orifices, and the median lobe from behind.

03 The map




- The first pair 1.5 cm distal to the neck, the last a centimetre proximal to the veru, anterolateral at **ten and two**.
- Never at twelve, where there is no lobe and the dorsal vein lies; never at six, where the veru is.

04 The first implant




- The device turned to ten and pushed into the right lobe to compress it.
- Fire: the needle passes through, the **capsular tab deploys**; the needle withdraws, the monofilament tensions and the urethral tab is cut flush.

05 The other three




- Two o'clock at the same level, then the second pair a centimetre toward the apex, short of the veru.
- Four for a typical gland, six for a long urethra, each looked at after it is cut.

The check



- The channel open from the neck to the veru, every tab flush on the mucosa, **no thread across the lumen, nothing in the bladder.**
- The bladder emptied; no catheter for most.

07 The note



- Number and positions on the clock and from the neck, lot numbers, the channel seen.
- The patient told: burning and blood for two weeks, better by a month, MRI still possible.

Derived from endoscopy/UroliftScene.tsx at build time: every step title and caption above is the authored ProcedureDef text, reproduced verbatim, and this page shares its readable-points renderer with the animation itself. 7 of 7 steps have a captured frame.
Text fingerprint 46a0b954990c5e65. A caption edit without a re-capture fails the production check, so the sheet and the animation cannot drift apart silently.

Pre-release educational preview

Read before the case.
Debrief after it.

[About](#) [UrOoPs Cards](#) [Curriculum](#) [Operative notes](#) [Departments](#) [Progress](#)

[Governance](#) [Disclaimer](#) [Privacy](#) [Terms](#) [Support](#)

[Send feedback](#)

Teaching only, not for diagnosis or treatment decisions.

UrOoPs3D Preview • L-2950

